



BODEN

RIGID WATERPROOF FLOORING

SPC

TRIBECA COLLECTION



Class 33
medium and high
traffic areas



Click installation
(no glue)



Approved for
radiant heating



Flame
retardant no
smoke emissions



100% Waterproof



Scratch
resistance



Anti indentation



Easy
maintenance



Ideal
for renovations



Silent



Chemical free

RIGID CORE STONE COMPOSITE FLOORING

Our SPC flooring offers what you've always wanted, the beauty and elegance of hardwood without the worry. Imagine the look and feel of charming wood flooring with the dreamy characteristics of being waterproof, pet proof and kid proof, that's what **BODEN** is.

Thanks to its unrivaled technical properties, **BODEN** is the perfect choice for every area including laundry room, bathroom and kitchen. It is also fitting for commercial use and ideal for hotels. Its effortless click system makes **BODEN** the preferred product for remodeling. Its installation doesn't require any adhesive which makes the cost substantially lower than traditional products.



ADVANTAGES

100% Waterproof

BODEN resists spills, air condition and humid temperatures, which makes the product suitable for high moisture. These same properties makes **BODEN** an optimal solution for every area in your home including laundry room, kitchen and bathroom.



Stain resistant

It is the same UV Layer that makes **BODEN** resistant to stains. Wine, coffee or other spills must be cleaned right after they occur but the product is designed to withstand such accidents without worrying of permanent marks.



Dent and scratch resistant

Under the UV protection comes a heavy wear layer adhered to the rigid core. This helps with its performance making the product apt for commercial use.



Minimal expansion

Its rigid stone composite core provides higher performance and stability. With this advantage **BODEN** can be used in places with extreme temperatures.



BODEN is the preferred solution solution for remodeling

- Easy glueless click installation.
- Can be installed directly over existing flooring.
- The product has a lower total thickness than traditional products, which makes adjusting and trimming doors simple.
- Thanks to Its stone composite properties, **BODEN** guarantees a higher level of stability.



MATERIAL DESCRIPTION

UV coating

Top layer is designed to prevent discoloration and scratches.

Wear layer

Under the UV protection comes a wear layer that exists to protect our BODEN flooring against scratches, stains, high traffic and household wear and tear.

Decoration layer

BODEN comes in a wide variety of colors designed to mimic the beauty of wood.

Click system


Adhesive-free installation system.

Rigid stone composite, 100% waterproof


This core is super dense ensuring planks retain their shape and is resistant to water, air condition and extreme temperatures.

Underfloor IXE

BODEN includes an underfloor, which makes installation economical and easier as it can be placed over existing floors, as well as improving sound absorption.



Moldings available in all colors



TRIBECA COLLECTION



Lavish
ZBOD22XL-3



Smokey Brown
ZBOD22XL-7




Sicily
ZBOD22XL-15



Smooth Oak
ZBOD22XL-20



Mountain Oak
ZBOD22XL-1



Vulcanic Thermo
ZBOD22XL-12

TRIBECA COLLECTION



Greige
ZBOD22XL-10



Riviere Oak
ZBOD22XL-78

Width	22.8 cm
Length	1.80 m
Total thickness	6.5 mm (5 mm SPC + 1.5mm IXPE)
Wear layer	0.55 mm
Quantity / weight per box	5 pieces = 2.052 m ² / approx 21.75 kg
Component	Stone composite
Endurance	Residential and Commercial Use
Surface	Synchronized Recording
Use	Lifetime limited residential and 15 years limited commercial

Lavish



A luxurious and opulent color with intricate wood grain patterns that evoke a sense of grandeur and extravagance. **Lavish** is perfect for creating a regal and majestic atmosphere in a formal or upscale setting.

Smokey Brown



A warm and earthy medium-brown color with subtle undertones that add depth and dimension to the floor. **Smokey Brown** is perfect for creating a cozy and inviting feel in any room.

Vulcanic Thermo



A rich and dramatic dark-brown color with bold wood grain patterns that exude sophistication and luxury. **Vulcanic Thermo** is perfect for creating a bold and dramatic statement in a contemporary or modern space.

Sicily



A warm and inviting light color with subtle wood grain patterns that add texture and character to the floor. **Sicily** is perfect for creating a cozy and welcoming feel in any room.

Smooth Oak



A sleek and modern light color with a smooth and uniform finish that exudes understated elegance and simplicity. **Smooth Oak** is perfect for creating a clean and contemporary feel in a minimalist or modern space.

Mountain Oak



A rugged and natural light-brown color with prominent wood grain patterns that capture the essence of the great outdoors. **Mountain Oak** is perfect for creating a rustic and rugged atmosphere in a cabin or lodge.

Greige



A versatile and sophisticated neutral color that blends gray and beige tones for a timeless look. **Greige** is perfect for creating a calm and elegant atmosphere in any space.

Riviere Oak



A classic medium-gold color with distinctive wood grain patterns that bring a touch of nature and authenticity to the floor. **Riviere Oak** is perfect for creating a warm and inviting atmosphere in a traditional setting.


TRIBECA HERRINGBONE COLLECTION



Herringbone Lavish
ZBODHER22XL-3



Herringbone Smokey Brown
ZBODHER22XL-7



Herringbone Vulcanic Thermo
ZBODHER22XL-12

Material Description

Width	12.2 cm
Length	61 cm
Total thickness	6.5 mm (5 mm SPC + 1.5 mm IXPE)
Wear layer	0.55 mm
Quantity / weight per box	18 pieces = 1.339 m ² / approx 14.2 kg
Component	Stone composite
Endurance	Residential and Commercial Use
Surface	Synchronized Recording (micro bevel)
Use	Lifetime limited residential and 15 years limited commercial

Herringbone Lavish



A luxurious and opulent color with intricate wood grain patterns that evoke a sense of grandeur and extravagance. **Lavish** is perfect for creating a regal and majestic atmosphere in a formal or upscale setting.

Herringbone Smokey Brown



A warm and earthy medium-brown color with subtle undertones that add depth and dimension to the floor. **Smokey Brown** is perfect for creating a cozy and inviting feel in any room.

Herringbone Vulcanic Thermo



A rich and dramatic dark-brown color with bold wood grain patterns that exude sophistication and luxury. **Vulcanic Thermo** is perfect for creating a bold and dramatic statement in a contemporary or modern space.

CERTIFICATIONS



ASSURE: a way to establish uniform quality standards for all rigid-core luxury SPC flooring products sold in North America; regardless of where they are made. ASSURE CERTIFIED™ standards apply to SPC construction. These products carry the ASSURE CERTIFIED™ badge and have been tested and certified by SCS Global.

GREENGUARD: Is provided by UL Environment, an independent industry scientific organization that tests thousands of products for their VOC emission levels.

FLOOR SCORE: It is a widely recognized international standard that certifies indoor air quality. Having this seal indicates that the products have been tested and comply with the California Department of Public Health (CDPH v1) Standard Method of Testing and Evaluation for Volatile Organic Chemical (VOC) Emissions.

ANAB /ANSI: Subsidiary organization of ANSI that oversees the development of standards for products, services, processes, and systems in the United States. In this way, you assure your customers that your product is actually complying with the appropriate ISO standards.

SCS GLOBAL SERVICES: es governed by a rigorous quality management system based on the principles of ISO, an internationally recognized standard that certifies high environmental quality and precision in the sustainability and safety of products.

CE: its use indicates that the product complies with the safety, health and environmental protection requirements demanded by the European Union.

ISO: it consists of a set of standards developed by the International Organization for Standardization (ISO) with the purpose of ordering management within companies in their different areas and departments.

TECHNICAL DATA SHEET

Rigid Core Flooring Usage Class 33 according to EN 16511

TRIBECA COLLECTION

Dimensions: 22.8 cm x 1.80 m x 6.5 mm
(5 mm SPC + 1.5 mm IXPE)
Wear layer: 0.55 mm
Quantity / Weight per box: 5 pieces = 2.052 m² / approx

TRIBECA HERRINGBONE COLLECTION

Dimensions: 12.2 cm x 61 cm x 6.5 mm
(5 mm SPC + 1.5 mm IXPE)
Wear layer: 0.55 mm
Quantity / Weight per box: 18 pieces = 1.339 m² / approx. 14.2 kg
Surface: Synchronized Recording (micro bevel)

Characteristics	Test method	Requirements
General requirements		
Geometrical characteristics	ISO 24337	lengths: ± 0.5 mm ancho: ± 0.1 mm
Total thickness	ISO 24337	± 0.15 mm
Squareness	ISO 24337	Max. ≤ 0.20 mm
Straightness	ISO 24337	Max. ≤ 0.30 mm
Installation method		Glueless Floating
Matching moldings available		Available
Classification requirements		
Wear resistance	EN 15468	≥ 1500 U
Impact resistance	EN 16511	≥ 800 mm
Castor chair resistance	EN 425	no damage with type W (25.000 Cycles)
Residual indentation	EN ISO 24343-1	Max. ≤ 0.30 mm
Use in wet areas	EN 13533	Yes
Thickness swelling	ISO24336	$\leq 2\%$
Determination of dimensional stability and curling after exposure to heat	ISO 23999	$\Delta l \leq 0.25\%$
Scratch resistance	EN16094	Pass
Waterproof	EN 13553:2017	No sign of Penetrating water
Essential characteristics		
Reaction to fire	EN 13501-1	Bfi - S1
Slip resistance	EN 13893 DIN 51130	DS R9
Electrical behaviour	EN 1815	Pass
Formaldehyde	EN 16516	not added
Thermal conductivity	EN 12667	$R \leq 0.015$ (m ² K)/W
Resistance to chemicals	ASTM F925-13	Rating 0 - No Change
VOC emissions	EN 16516	Pass
Phthalate Free	ISO16000-6	Yes
Calculated Impact Insulation Class	ASTM E492-2009 (R2016)	IIC 55
Calculated Sound Transmission Class	ASTM E492-2009 (R2016)	STC 53

BODEN SPLASH

by Bona



Bona **Premium Spray Mop** for **Boden** floors allows you to clean and keep your floors clean in one pass, providing ultimate care and protection.

Its pH-neutral, no-rinse formula is ready to use, dries in a short time and provides a natural shine without residue. Forget the hassle of filling a bucket, just spray on a fine mist for fast, effective cleaning.

Characteristics

- Foam handle for better control and cleaning.
- Refillable bottle that helps conserve the environment, and is also easy to refill thanks to its flat base and wide opening.
- Quick release button for easy bottle refilling.
- Mist spray that dispenses just the right amount of solution for a perfect clean without oversaturating.
- Flexible corners prevent damage to furniture.
- Retractable hook and base with locking system for easy storage.
- Dust mop uses static electricity to collect and trap dust, dirt and pet hair.
- Patented Bona microfiber cleaning mop, which eliminates 99% of bacteria.
- Green GOLD Certification.




Performance

One spray = 5 ml cleans up to 2 m², the 850 ml Boden floor cleaner bottle cleans up to 340 m².

It is recommended to clean daily for Residential Use, twice a day for Medium Commercial Use and three times a day for High Commercial Use.








Content


- Mop Premium Spray.
- Bottle with Boden floor cleaner (850 ml).
- Duts mop.
- Mop microfiber cleaner.


Instructions for use / steps for effective cleaning


- 

Run the Bona Dust Mop over the floor to remove lint, dust and pet hair before wet cleaning.
- 

Insert the bottle of Bona Refillable Cleaner into the Spray Mop Premium. Squeeze it well so that it enters its cavity, it is important to make sure to push the bottle well until you hear a click!
- 

Remove the Bona Dust Trap Mop from the head and attach the Bona Microfiber Cleaning Mop to the head.
- 


Spray the floor with the cleaner and mop. For tough stains, sticky splatters, etc., spray the cleaner directly on the stain and allow it to work for a few minutes. Then scrub the stain until it is removed.
- 

When it's time to refill your bottle, simply press the eject button for easy removal and refill with Boden Hard-Surface Floor Cleaner.
- 


The microfiber cleaning mop and dirty dust mop should be washed at 60 °C without fabric softener.

Benefits

- **QUICK AND EASY TO USE** - Just spray and mop! The **microfiber cleaning mop** and **extra-large dust mop** clean 40% faster than any other mop.
- **REFILLABLE BOTTLE.** You can refill the **Premium Spray Mop bottle** with **Bona Hard-Surface Floor Cleaner** (available in economy size).
- **CLEANER FLOORS.** Residue-free, fast-drying, solution that removes dirt and grime, leaving your floors clean and beautiful.
- **SUSTAINABLE INGREDIENTS.** Always waterbased and biodegradables; formulated without formaldehyde, ammonia, petroleum, phosphates, phthalates, parabens, added dyes or added scents. Never tested on animals.
- **PLANT-BASED FORMULA.** Formulation is crafted with plant-derived ingredients and contains 92% USDA certified biobased content. Meets the U.S. EPA product standards and is Green GOLD certified for containing ingredients that are safer for people, pets and the planet.
- **SAFE FOR BODEN FLOORS.** Protect your floor from discoloration and harm with our pH neutral formulation. Safe for rigid stone composite floors, SPC.
- **DURABLE DESIGN.** Durable and lightweight design with secondary grip, flexible rubber corners and a retractable hook for easy storage.



- **LESS WATER.** Cleaning with a Premium Spray Mop uses 97% less water than a traditional mop and bucket.
- **REUSABLE PRODUCT.** Comes with a dust catcher mop that can be washed up to 300 times and a microfiber cleaning mop that can be washed up to 500 times, both made from 90% post-consumer recycled material.



BODEN

RIGID WATERPROOF FLOORING

www.pisosboden.com